

REMARKS

Claims 2, 8 and 14 have been amended. Claims 15 and 17 have been canceled.

With regard to claims 7 and 14, the Applicants have provided the complete version of these claims as apparently there was a printing error in the version of the PCT application copy that was submitted on 11/2/2005. These claims as restated herein do not the changes from the incomplete copy submitted on 11/2/2005. Instead, the complete version of claim 7 is labeled "original" because this is how the claim appeared in the PCT application. *See*, WO 2004/10570 A3 (corrected version). The same applies to claim 14 wherein only the changes from original complete PCT version are shown and not with respect to the incomplete version filed 11/2/2005. *See also*, USPTO image file wrapper for PCT/US04/15079.

Claims 2 and 8 have been amended to insert the missing "." in "0.20" caused by a typographical error. Support for the amendment can be found in the Specification at page 4, line 20. The Applicants respectfully assert that these claims and all claims that depend from them are now allowable.

Claim 14 has been amended to include the corrected limitation of claim 15. Since claim 15 was deemed allowable if amended to overcome the 112 rejection, the Applicants respectfully assert that amended claim 14 and its dependent claims are now allowable.

In view of the foregoing amendment, it is believed that the Examiner's rejections have been overcome and that the application is in condition for allowance. Such action is earnestly solicited.

Respectfully submitted,

/RFClark/

Robert F. Clark
Reg. No. 33,853

OSRAM SYLVANIA Inc.
100 Endicott St.
Danvers, MA 01923